SAFETY DATA SHEET according to Regulation (EU) 2015/830

Car Shampoo

Page 1/8

 Revision
 12

 Revision date
 2016-08-17

SECTION 1: Identification of	the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	Car Shampoo			
Product code	QAFS743			
1.2. Relevant identified uses of t	he substance or mixture and uses advised against			
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);			
	 [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);			
Description	No data is available on this product.			
1.3. Details of the supplier of the	e safety data sheet			
Company	SUPAGARD LIMITED			
Address	19-27 Gavinton Street Muirend Glasgow			
Web	G44 3EF			
Telephone	www.supagard.co.uk 0141 633 5933			
Fax	01416377219			
Email	James.Smyth@supagard.com			
Email address of the	James.Smyth@supagard.com			
competent person				
1.4. Emergency telephone numb	Der			
Emergency telephone number	01416335933			
	8.30am to 5.00pm			
SECTION 2: Hazards identif	ication			
2.1. Classification of the substar	nce or mixture			
2.1.1. Classification -	Xi; R41			
1999/45/EC	Symbols: Xi: Irritant.			
Main hazards	Risk of serious damage to eyes.			
2.1.2. Classification - EC 1272/2008	EUH208; Eye Dam. 1: H318;			
2.2. Label elements				
Hazard pictograms				
Signal Word	Danger			
Copyright © 2016 ChemSoft Limited. All rights	reserved. Powered by ChemSoft EH&S			

2.2. Label elements			
Hazard Statement	EUH208 - Contains benzisothiazolinone. May produce an allergic reaction.		
	Eye Dam. 1: H318 - Causes serious eye damage.		
Precautionary Statement:	P102 - Keep out of reach of children.		
Prevention	P103 - Read label before use.		
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
Response	lenses, if present and easy to do. Continue rinsing.		
	P337+P313 - If eye irritation persists: Get medical advice/attention.		

Other hazards PBT not identified as a PBT substance.	
	Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
1-Propanaminium, N-			939-455-3	01-2119970722-34	1 - 10%	5 Xi; R41	
(3-aminopropyl)							
-2-hydroxy-N,N-dimethyl-3-sulfo-,							
N-(C8-18(even numbered)acyl)							
derivs, hydroxides, inner salts							
Propylene Glycol (Propane-1,2-diol		57-55-6	200-338-0	01-2119456809-23	0 - 0.5%	, D	
total vapour and particulates)							
Tetrasodium ethylene diamine		64-02-8	200-573-9	01-2119486762-27	1 - 10%	5 Xn; R22 Xi; R41	
tetraacetate							
Reaction products of C12-18-(even			939-647-7		1 - 10%	5 Xi; R38-41	
numbered)-alkylamines and acrylic							
acid and sodium hydroxide							
Glycerol (Glycerol, mist)		56-81-5	200-289-5		0 - 0.5%	, D	
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	5 C; R35	
Cocamidopropyl Betain					1 - 10%	5 Xi; R41 R52/53	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
1-Propanaminium, N- (3-aminopropyl)			939-455-3	01-2119970722-34	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;	
-2-hydroxy-N,N-dimethyl-3-sulfo-,							
N-(C8-18(even numbered)acyl)							
derivs, hydroxides, inner salts							
Tetrasodium ethylene diamine		64-02-8	200-573-9	01-2119486762-27	1 - 10%	Acute Tox. 4: H302+H332;	
tetraacetate						Eye Dam. 1: H318; STOT RE 2: H373;	
Reaction products of C12-18-(even			939-647-7		1 - 10%	Skin Irrit. 2: H315; Eye Dam.	
numbered)-alkylamines and acrylic						1: H318;	
acid and sodium hydroxide							
Cocamidopropyl Betain					1 - 10%	Eye Dam. 1: H318; Aquatic	
						Chronic 3: H412;	

Further information	
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients Car Shampoo - 5 - 15% Non-ionic Surfactants, 5 - 15% Amphoteric Surfactants, Acid EDTA, Benzisothiazolinone, Parfum.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.

4.1. Description of first aid meas	ures		
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.		
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.		
4.2. Most important symptoms a	nd effects, both acute and delayed		
Inhalation	Irritating to respiratory system.		
Eye contact	Causes serious eye damage.		
Skin contact	Irritating to skin.		
Ingestion	Irritating to mucous membranes.		
4.3. Indication of any immediate	medical attention and special treatment needed		
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.		
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention		
Skin contact	if irritation or symptoms persist. Seek medical attention if irritation or symptoms persist.		
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.		
General information			
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.		
5.2. Special hazards arising from	n the substance or mixture		
	Burning produces irritating, toxic and obnoxious fumes.		
5.3. Advice for firefighters			
	Wear suitable respiratory equipment when necessary.		
Further information			
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
SECTION 6: Accidental relea	ase measures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
	Wear suitable protective equipment.		
6.2. Environmental precautions			
	Advise local authorities if large spills cannot be contained.		
6.3. Methods and material for co			
	For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flush down the drain with plenty of water.		
6.4. Reference to other sections			
	See section 2, 7, 8, 13 for further information.		
SECTION 7: Handling and st	torage		
7.1. Precautions for safe handlin	ng		
	Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,			
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in		



Revision 12

Revision date 2016-08-17

7.2. Conditions for safe storage	, including any incompatibilities
----------------------------------	-----------------------------------

	original container. Do Not Freeze. Store at temperatures between 5 °C and 40 °C.
7.3. Specific end use(s)	
	No data is available on this product.
Suitable packaging	

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

	Occupational exposure controls.	
8.1.1. Exposure Limit Values		
Glycerol (Glycerol, mist)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	Innaiable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Propylene Glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Propane-1,2-diol particulates)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Propylene Glycol (Propane-1,2-diol total vapour	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
and particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
- <u>.</u>	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

sodium hydroxide	Long-term - inhalation - Systemic 1 mg/m ³
	effects
Tetrasodium ethylene diamine	Acute inhalation - Local effects 2.5 mg/m ³
tetraacetate	
	Long-term - inhalation - Local 2.5 mg/m ³
	effects

Exposure Pattern - General population



Car Shampoo

Revision 12

Revision date 2016-08-17

Exposure Pattern - General population

sodium hydroxide	Long-term - inhalation - Systemic	1 mg/m³	
	effects		
Tetrasodium ethylene diamine	Acute inhalation - Local effects	1.5 mg/m ³	
tetraacetate			
	Long-term - inhalation - Local	1.5 mg/m³	Long-term - oral - Systemic effects 25 mg/kg
	effects		

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Perfumes
Odour threshold	No data available
pH	9.5 - 10.2
Melting point	Not applicable.
Initial boiling point	No data available
Flash point	90 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	
Solubility	Soluble in water
9.2. Other information	



Car Shampoo

9.2. Other information	
Conductivity	No data available
Surface tension	No data available
Specific gravity	1.015 - 1.019 g/cm³
Gas group	No data available
Benzene Content	No data available
	No data available
VOC (Volatile organic compounds)	No data available
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
10.3. Possibility of hazardous re	actions
	Strong acids. Strong oxidising agents.
10.4. Conditions to avoid	
	Protect from frost.
10.5. Incompatible materials	
	No incompatible groups noted.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological i	nformation
11.1. Information on toxicologica	al effects
Skin corrosion/irritation	Irritating to skin.
Serious eye damage/irritation	Not anticipated under normal conditions of use. Causes serious eye damage.
Respiratory or skin sensitisation	Not anticipated under normal conditions of use. Irritating to respiratory system. Irritating to skin.
Repeated or prolonged	Prolonged contact may cause defatting of the skin. Irritating to eyes, respiratory system and skin.
exposure	Irritating to mucous membranes.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	



Car Shampoo

Revision 12

Revision date 2016-08-17

12.3. Bioaccumulative potential

	No data is available on this product.
Partition coefficient	
	Car Shampoo No data available sodium hydroxide No data available Cocamidopropyl Betain No data available No data available
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es))
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for use	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC



and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

93/105/EC and 2000/21/EC.
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	7 - 7.2. Conditions for safe storage, including any incompatibilities.
Text of risk phrases in Section	R22 - Harmful if swallowed.
3	R35 - Causes severe burns.
	R38 - Irritating to skin.
	R41 - Risk of serious damage to eyes.
	R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
Text of Hazard Statements in	Eye Dam. 1: H318 - Causes serious eye damage.
Section 3	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
	Skin Irrit. 2: H315 - Causes skin irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

