

Safety Data Sheet

CITROEN PROTECT Paintseal Cream

Revised: 20.12.2010

Date printed: 20.12.2010

01. Identification of the substance / preparation and of the company

PRODUCT NAME: CITROEN PROTECT Paintseal Cream, 600ml
SUPPLIER: SUPAGARD LIMITED
19-29 Gavinton St.
Muirend
Glasgow, G44 3EF
TEL: 0141 633 5933
FAX: 0141 637 7219
EMERGENCY TELEPHONE: (+00 44) (0)161 620 5400 NOTE! TO BE USED FOR CHEMICAL EMERGENCIES ONLY!!!

02. Composition / Information on ingredients

Substance	EINECS	CAS	Range [%]	Symbol / R-phr.
Ammonia solution	215-647-6	1336-21-6	0,1 - < 5	C& 34-50
Destillates (petroleum), hydrotreated light	265-149-8	64742-47-8	1 - < 10	Xn 65-66
Propan-2-ol	200-661-7	67-63-0	1 - < 15	F&Xi 11-36-67

03. Hazards identification

No particular hazards known.

04. First aid measures

General information

Change soaked clothing.

Inhalation

Ensure supply of fresh air. In the event of symptoms refer for medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.

Eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Refer for medical treatment.

Advice to doctor

If swallowed or in the event of vomiting, risk of product entering the lungs.

05. Fire-fighting measures

Suitable extinguishing media

Water spray jet. Dry powder. Foam. Carbon dioxide.

Extinguishing media that must not be used

Full water jet.

Special exposure hazards arising from the substance or preparation itself or combustion products

Risk of formation of toxic pyrolysis products . Carbon monoxide (CO). Not combusted Hydrocarbons.

Special protective equipment for firefighters

Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.

Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

06. Accidental release measures

Personal precautions

High risk of slipping due to leakage/spillage of product.

Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/ surface waters/ groundwater.

Methods for cleaning up/taking up

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder). Dispose of absorbed material in accordance with the regulations.

07. Handling and storage

Advice on safe handling

Use solvent-resistant equipment.

Advice on protection against fire and explosion

No special measures necessary.

Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Keep only in original container.

Advice on storage compatibility

Do not store together with oxidizing agents.

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place.

08. Exposure controls / personal protection

Additional advice on system design

Ingredients with occupational exposure limits to be monitored

Safety Data Sheet

CITROEN PROTECT Paintseal Cream

Revised: 20.12.2010

Date printed: 20.12.2010

Substance	CAS	Value:
Ammonia solution	1336-21-6	MAK: 50 ppm Y 2000
Destillates (petroleum), hydrotreated light	64742-47-8	MAK: 200 ppm 2000
Propan-2-ol	67-63-0	MAK: 200 ppm BAT, Y 2000

Not applicable.

Respiratory protection Breathing apparatus in the event of high concentrations. Short term: filter apparatus, Filter A.

Hand protection Plastic gloves.

Eye protection Safety glasses.

Skin protection None.

General protective measures

Do not inhale vapours. Avoid contact with eyes and skin.

Hygiene measures

Wash hands before breaks and after work. Use barrier skin cream.

09. Physical and chemical properties

Form:	Viscous.
Colour:	Yellow.
Odour:	Characteristic.
pH-value:	-
Boiling point [°C]:	-
Flash point [°C]:	85
Flammability:	-
Lower explosion limit:	-
Upper explosion limit:	-
Combustible properties:	No
Vapour pressure [hPa]:(20°C)	-
Density [g/cm³]:	0,97
Solubility in water:	Miscible.
Partition coefficient: n-octanol / water:	-
Viscosity:	>7mm ² /s (40°C)
Relative vapour density determined in air	
Melting point [°C]:	-
Autoignition temperature:	-

10. Stability and reactivity

Hazardous reactions

Reactions with strong oxidizing agents.

Hazardous decomposition products

No hazardous decomposition products known.

11. Toxicological information

Acute oral toxicity LD50 :

Acute dermal toxicity LD50 :

Acute inhalational toxicity LC50 :

Irritant effect on eye

Sensitization / Validation

Chronic toxicity / Validation

Mutagenicity / validation

Reproduction toxicity / Validation

Carcinogenicity / Validation

Experiences made in practice

None.

General remarks

No toxicological data are available. The product was classified on the basis of the calculation procedure of the preparation directive (88/379/EEC).

12. Ecological information

Biodegradable

Fish toxicity

Behaviour in sewage plant

Not applicable.

AOX-advice

No dangerous components.

General information

Ecological data are not available.

Contains compounds of 76/464/EC

Yes

13. Disposal considerations

Disposal / Product

For recycling, consult manufacturer. Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. 070799

Disposal / Contaminated packaging

Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.

14. Transport information

14.1 Classification according to ADR:

Safety Data Sheet

CITROEN PROTECT Paintseal Cream

Revised: 20.12.2010

Date printed: 20.12.2010

ADR: not classified
as Dangerous
Goods

Dangerous Goods

Declaration:

Inscriptions:

Factor(ADR 10 011):

Hazard-no:

Label:

14.2 Classification according to IMDG:

IMDG-Code: not classified as Dangerous
Goods

Dangerous Goods

Declaration:

Inscriptions:

Label:

14.3 Classification according to IATA:

IATA-DGR: not classified as Dangerous
Goods

Dangerous Goods

Declaration:

Inscriptions:

Label:

15. Regulatory information

Labelling

The product does not require a hazard warning label in accordance with EC directives

Hazard symbols



Special labelling for certain preparations

Not applicable.

National regulations

Not applicable.

16. Other informations

R phrases (Substance)

R11: Highly flammable.

R34: Causes burns.

R36: Irritating to eyes.

R50: Very toxic to aquatic organisms.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

Regulatory information

* 91/155/EWG (2001/58/EG)

* 67/548/EWG (2001/59/EG)

* 88/379/EWG (2001/60/EG)

* 91/689/EWG (2001/118/EG)

* 89/542/EWG

* ADR (23.07.01)

* IMDG-Code (30.Amdt.)

* IATA-DGR (2001)

Modified position:

13